

## We Are Peel off End Manufacturer

MAKE LIFE EASIER AND SAFER



ADD: 227,Wei 18 Road,Yueqing Economic Development Zone,Zhejiang,325600 China

TEL: 86 577 6157 9960 FAX: 86 577 6157 9960

Https://www.zjbosun.com Email: market@zjbosun.com




The Easier, Safer, And More Innovative Packaging Solutions **BNM Peel Off End** 

## **Directory**

- 01/ Company Profile
- 03/ Research And Development
- 06/ Technology Health And Safety
- **07**/ Retort Food Series
- 09/ Transparent Series
- Dried Food Series
- Ventilated Valve Installed Series 13/
- NFC Series
- Customized Packaging

products. With 30 years experience in the research of easy-peel materials, BNM has developed a series of easy-peel off lids with complete categories and sizes to meet the needs of different application.

"Make life Easier and Safer" is the mission of BNM. While focusing on the research and development of the products, BNM also pays attention to the application technology. All the work is based on customers' needs, BNM has realized the overall service from product design to use.







## **GMP**CLEAN WORKSHOP

BNM has GMP clean room production areas, fulfilling all the requirements on environment, health and safety standards. This is to ensure good production environment and best product quality. BNM has several automatic peel off end production lines, daily production capacity over 2 million pieces. Our product sizes covering range from #113 to #502.

The capacity will keep growing as more lines are going to be installed. More sizes and shapes of peel off ends are under development, and will be launched soon!

Automatic production facilities, matched with visual detection inspection system to ensure each piece of product with excellent and best quality.

FSSC22000 qualified.







### **Transparent Series**

- 1, Application: Retort product as Seafood, Meat, Ready-to- Eat Soup, Pet Food, etc Dry product, Candy, Tea, Nuts, Aromatherapy, etc
- 2, With perfect Barrier Performance.
- 3, Anti UV performance.
- 4, Material: (Retort) Aluminum / TFS, + Clear Film
  (Dry) Aluminum / Tin, + Clear Film
- 5, KEY Technical parameters:
  Opening Force ≤30N
  Burst Resistant ≥0.6bar

Sterilization Temp. resistant ≤125°

#### Size available

#209 (62.8mm)	#404(105mm)
#211(65mm)	#502(126.5mm)
#300 (73mm)	F304E
#307 (83mm)	F311 (1/4 Club Can)
#401 (99mm)	



#### Dried Food Series

- 1, Application: Milk Powder, Protein Powder, Candy, Tea, Nuts, etc
- 2, Stand for 80 Celsius degree in transportation and storing.
- 3, Material: Tinplate / Aluminum , + Aluminum Foil

#### Size available

#307 (83mm)

#401 O type (99mm) #401 D type (99mm) #502 O type (126.5mm) #502 D type (126.5mm)







#### Ventilated Valve Installed Series

- 1, Application: Fermented Food as Coffee, Seeds, Kimchi , etc
- 2, Material: Aluminum / Tinplate, + Aluminum Film + Valve
- 3, KEY Technical parameters:

Opening Force ≤35N

Valve Adhesive Force ≥8hr/kg/inch²

Valve Working Pressure: Inner Pressure ≥0.2bar Stop Working Pressure: Inner Pressure ≤0.18bar

#### Size available

#300 (73mm) #307 (83mm) #404(105mm)





# POE With NFC Tag Implanted New!!

Near Field Communication (NFC) is a set of wireless communication protocol, which can be used on non-contact smart card, reader and communication between devices. Placing the NFC tag into the packaging structure is to ensure a higher food safety level.

This innovation, combining ID authentication technology, will give a great support to the businesses who are going to promote digital transformation in their production and sales processes.

